



## Grifo de un sólo agua de pared TR\_TR001520



MODELO

TR001520


Grifo de un sólo agua de pared,sin maneta

**ACABADOS DISPONIBLES** 



21 21 Cromo

CARACTERÍSTICAS









## Grifo de un sólo agua de pared TR\_TR001520

## cisal

## **TR** 00**152**



- Rubinetto a parete
  Simple tap
  Auslaufventil lang
  Robinet de service



bar	PORTATA BOCCA DI EROGAZIONE * SPOUT FLOW RATE DURCHFLUSS WANNENEINLAUF DÉBIT BEC DÉVERSEUR  /min.
0.1	9
0.2	12.5
0.3	15.5
0.4	18
0.5	20
1	28

\* senza resistenza silenziosa (uscita libera) without hydraulic resistance ohne Widerstand

	sans résistance hydraulique							
	NR.	DESCRIZIONE DESCRIPTION BESCHREIBUNG DÉSCRIPTION	N. CODICE CODE NO. WERKSNR. NR. CODE	NR.	DESCRIZIONE DESCRIPTION BESCHREIBUNG DÉSCRIPTION	N. CODICE CODE NO. WERKSNR. NR. CODE	NR.	
	Vitone 1/2" "TR"  1 Headvalve 1/2" "TR"  Oberteil 1/2" "TR"  Tête 1/2" "TR"		ZZ 92869 0					
1	Guarnizione NBR 9 Gasket NBR 90 SH Dichtung NBR 90 S Joint NBR 90 SH.	<i>l. 16,9x5,5x5</i> SH. 16,9x5,5x5	ZZ 92699 0					
1	Vite M.4x4,5 tb. Ø8 t.cr. 1-2 Screw M.4x4,5 Vis M.4x4,5 Vis M.4x4,5		ZZ 92625 0					
	Rosone rubinetto r Escutcheon simple Rosette Rosace en inox		ZZ 92605 0					

TR001520

https://es.cisal.it/grifo-de-un-solo-agua-de-pared-tr-tr001520

DESCRIZIONE DESCRIPTION BESCHREIBUNG DÉSCRIPTION

2025-07-14